



Yuasa Ficha Técnica

Yuasa YBX5027 - YBX5000 Silver High Performance SMF

Rendimiento

| | |
|-----------------------------------|------|
| Tensión | 12V |
| Capacidad (20 horas) | 65Ah |
| Capacidad Arranque Amperios (EN1) | 640A |

Dimensiones

| | |
|-------|-------|
| Largo | 243mm |
| Ancho | 175mm |
| Alto | 190mm |

Peso

| | |
|----------------|--------|
| Peso con Acido | 15.6kg |
|----------------|--------|

Características


| | |
|--------------------|----------------|
| Tipo de Caja | L2 D N |
| Fijación | B13 |
| Indicador de Carga | ✓ |
| Asas | ✓ |
| Respiradero | ✓ |
| Sellada | SMF doble tapa |




Tecnología

| | |
|-------------------------|-------------|
| Regulador gases | ✓ |
| Tecnología | Ca/Ca |
| Separadores | PE |
| Prueba de vuelco de VDA | ✓ |
| Carga recomendada | 4A |
| Performance Marking | W4-C2-V3-E1 |

Tipo de terminal



Esquema



Fijación

Fecha de emisión: 14/07/2021 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX5027 - YBX5000 Silver High Performance SMF Batteries

Performance

| | |
|--------------------------|------|
| Voltage | 12V |
| Capacity (20-hour) | 65Ah |
| Cold Cranking Amps (EN1) | 640A |

Dimensions

| | |
|--------|-------|
| Length | 243mm |
| Width | 175mm |
| Height | 190mm |

Weights & Measures

| | |
|-----------------------|--------|
| Mean Weight with Acid | 15.6kg |
|-----------------------|--------|




Container Features

| | |
|---------------------------|----------------|
| Case Type | L2 D N |
| Hold Down | B13 |
| State of Charge indicator | ✓ |
| Handles | ✓ |
| End Venting | ✓ |
| Lid Type | SMF Double Lid |

Technology

| | |
|---------------------------|-------------|
| Flame Arrestor Technology | ✓ |
| Separator | Ca/Ca PE |
| VDA Roll Over Test | ✓ |
| Recommended Charge Rate | 4A |
| Performance Marking | W4-C2-V3-E1 |

Terminal Type



Cell Assembly Layout



Battery Hold-down

Data Sheet generated on 14/07/2021 E&OE